



- NOTE:**
- 1 -For Platform loads see page 4
 - 2- Upper landing door/gate and interlock to be installed by elevator contractor
 - 3- All work and materials must comply to local laws and regulations.
 - 4- Install in accordance with A117.1 2009
 - 5- Install in accordance NFPA70
 - 6- This vertical platform lift is designed and built by ameriglide in accordance with the followings codes:
 -A18.1 2014 (See A18.1 Table 1.5-1).
 -A117.1 2009
 -NFPA 70 2017


NANO 36X54
PLAN VIEW




ISO_VIEW




DETAIL A
FRONT VIEW



DETAIL B
SIDE VIEW



CONTROL PANEL



ANCHORAGE

PROJECT:

CONFIGURATION DETAILS	
Code:	A18.1 2014
GUARD PANEL:	42" HEIGHT
SAFETY:	± 1/16"
DRAFTER:	M. Debusschere

AMERIGLIDE
5110 Atlantic Ave,
Raleigh, NC 27616
Tel:1 (800) 790-1635

No DRAWING: **NANO MODEL**

Status: APPROVAL	Revision: 1
No SHEET: 1/5	

APPROVAL DRAWING	
CHOICE	APPROVED
(✓)	APPROVED AS NOTED
	RESUBMIT AS NOTED
SIGNATURE	DATE
SIGN AND RETURN	

24DC, 60Hz 120V 20A
Residential unit